

Test Date: December 05, 2015

## 2014 PRESTIGE 500

One (1) Seakeeper 5 was installed on a Prestige 500 to provide roll stabilization at anchor and underway. This report summarizes the results of tests conducted by Seakeeper and Mike's Boat Works in Marina Del Rey, California, USA, on December 05, 2015, to measure the performance of the Seakeeper system at zero speed in beam seas.



## RESULT: 89% ROLL REDUCTION

In the sea conditions listed below, the Seakeeper 5 eliminated 89% of roll at the vessel's natural roll period.

BOAT SPECIFICATIONS	
Length Overall	49.2 ft
Beam Overall	14.9 ft
Displacement	39,600 lbs
Natural Roll Period	3.41 seconds


SEAKEEPER CONFIGURATION	
Seakeeper Model	Seakeeper 5
Angular Momentum	5,000 N-M-S
Weight	790 lbs
Dimension	30.1 L x 29.8 W x 24.7 H (inches)

TEST CONDITIONS (PROVIDED BY BUOYWEATHER)	
Light winds with a slight chop. Small long period swell.	
Wind	NNE 6 to 8 knots
Sea	SSW 3 ft at 15 seconds

## PERFORMANCE DATA

■ Seakeeper On    ■ Seakeeper Off



**89% ROLL REDUCTION**

### Notice to Consumer:

The measured roll data contained in this report represents the performance of the Seakeeper system on a specific vessel in an estimated sea condition. It is provided as a guideline and should not be relied upon as representative of performance on this vessel in other sea conditions or on other vessels. Please contact Seakeeper for gyro sizing and roll reduction predictions for your vessel.